

Page: 1 **23/2021** 

Printed: 02/23/2021 Revision: 02/23/2021

### 1. Product and Company Identification

Product Code: 904518

Product Name: SWARD DEFEATER 00-00-04 16#

Trade Name: Weed & Feed

Company Name:Turf Care Supply Corp.Phone Number:50 Pearl Road1 (330)558-0910

Suite 200

Brunswick, OH 44212

Web site address: www.turfcaresupply.com Email address: regaffairs@tcscusa.com

Emergency Contact: PERS 1 (800)633-8253

**Information:** Turf Care Supply Corp. 1 (330)558-0910

**Synonyms:** Fertilizer with Post-Emergent Herbicide.

### 2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 1

Specific Target Organ Toxicity (single exposure), Category 1 Specific Target Organ Toxicity (repeated exposure), Category 1

**Aquatic Toxicity (Chronic), Category 3** 





GHS Signal Word: Danger

GHS Hazard Phrases: Causes skin irritation.

Causes serious eye damage. Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

GHS Precautionary Phrases: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear appropriate personal protective equipment.

**GHS Response Phrases:** IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical attention/advice.

Get medical attention/advice if you feel unwell.

If skin irritation occurs, get medical advice/attention.

Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal Store

Store locked up.

**Phrases:** Dispose of contents/container to an appropriate disposal facility.



Page: 2 Printed: 02/23/2021

Revision: 02/23/2021

Potential Health Effects Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or

(Acute and Chronic): repeated exposure may cause permanent eye damage. Chronic exposure may cause

lung damage. Effects may be delayed.

**Inhalation:** May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological

properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

**Skin Contact:** May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual

industrial handling.

**Eye Contact:** May cause eye irritation. Dust may cause mechanical irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting

and diarrhea. Low hazard for normal industrial handling. The toxicological properties of

this substance have not been fully investigated. May cause systemic effects.

# 3. Composition/Information on Ingredients

1317-65-3       Limestone       87.6 %         7447-40-7       Potassium chloride       6.66 %         61790-53-2       Silica, amorphous       1.20 %         2008-39-1       2,4-D dimethylamine salt       0.986 %         14808-60-7       Quartz       0.903 %	CAS#	Hazardous Components (Chemical Name)	Concentration
61790-53-2 Silica, amorphous 1.20 % 2008-39-1 2,4-D dimethylamine salt 0.986 %	1317-65-3	Limestone	87.6 %
2008-39-1 2,4-D dimethylamine salt 0.986 %	7447-40-7	Potassium chloride	6.66 %
• • • • • • • • • • • • • • • • • • • •	61790-53-2	Silica, amorphous	1.20 %
14808-60-7 Quartz 0.903 %	2008-39-1	2,4-D dimethylamine salt	0.986 %
14000 00 1 Qualitz 0.300 70	14808-60-7	Quartz	0.903 %

### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty

of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops

and persists. Wash clothing before reuse. Wash off with soap and plenty of water.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control

center. If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

**Note to Physician:** Treat symptomatically and supportively.



Page: 3

Printed: 02/23/2021 Revision: 02/23/2021

### 5. Fire Fighting Measures

Flash Pt: No data.

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media:For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry

chemical, carbon dioxide, alcohol-resistant foam, or water spray.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive

products. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

**Products:** 

Most of the components of this product are non-combustible. However, a portion of them

may support combustion at elevated temperatures.

**Hazardous Combustion** Thermal decomposition may result in the production of ammonia, formaldehyde, biuret,

chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus,

potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and

zinc, and other toxic and irritating fumes and gases.

### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.

in the recedive Equipment seet

Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure

adequate ventilation.

Environmental precautions.

Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers

for disposal.

PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate precautions to minimize direct contact with skin or eyes and

prevent inhalation of dust.

Methods for cleaning up.

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area

and wash spill site after material pickup is complete.

# 7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash

clothing before reuse.

Provide appropriate exhaust ventilation at places where dust is formed.



Page: 4

Printed: 02/23/2021 Revision: 02/23/2021

**Precautions To Be Taken in** Store in a cool, dry place. Keep container closed when not in use. Storing:

8. Exposure Controls/Personal Protection						
CAS#	AS # Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits	
1317-65-3	1317-65-3 Limestone		PEL: 15 (dust); 5 (resp.) mg/m3	No data.	No data.	
7447-40-7	Potassium chloride		No data.	No data.	No data.	
61790-53-2	Silica, amorphous		PEL: 80 mg/m3/(%SiO2)	TLV: 10 mg/m3 (Inhalation, E)	No data.	
2008-39-1	2,4-D dimethylamine salt		No data.	No data.	No data.	
14808-60-7	Quartz		PEL: 50 ug/m3	TLV: 0.05 mg/m3 (R)	No data.	
Recommended Exposure Limits:		If shown in the preceding chart, the exposure limits for quartz are for respirable crystalline silica, which includes quartz, cristobalite, and/or tridymite forms.				
Respiratory Equipment (Specify Type):  Eye Protection:		A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.  Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard				
		EN166.				
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.				
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.				
Engineering Controls (Ventilation etc.):		Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.				
Work/Hygienic/Maintenance Practices:		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash thoroughly after handling.				

# 9. Physical and Chemical Properties

Physical States: [ ] Gas [ ] Liquid [X] Solid

Appearance and Odor: Multi-colored, granular solid.

Characteristic pesticide solvent odor.

pH: No data. Melting Point: ~ 133 C **Boiling Point:** No data. Flash Pt: No data. **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1):

No data.



Page: 5

Printed: 02/23/2021 Revision: 02/23/2021

Specific Gravity (Water = 1): No data.

~ 45 - 65 LB/CF Bulk density:

~ 1,080 g/L at 20.0 C Solubility in Water:

Solubility Notes: The solubility value cited is for the urea component of this product, if present. See

Octanol/Water Partition

No data.

Coefficient:

Information

**Autoignition Pt:** No data. **Decomposition Temperature:** ~ 135 C Viscosity: No data.

**Additional Physical** 

The melting point and decomposition temperatures cited are for the urea component of

this product, if present. See section 3.

Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No:

57-13-6)

10. Stability and Reactivity

Unstable [ ] Stable [X] Stability:

Conditions To Avoid -

Incompatible materials, dust generation, heating to decomposition. High temperatures.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Bases, acids, Aluminum, Strong acids.

Avoid:

Hazardous Decomposition or The decomposition of fertilizer products may result in the generation of some or all of the

Byproducts:

following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.

Possibility of Hazardous

Reactions:

Will occur [ ] Will not occur [X]

**Conditions To Avoid -**

No data available.

**Hazardous Reactions:** 

11. Toxicological Information

Epidemiology: No information found. Toxicological Information:

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Neurotoxic effects have occurred in experimental animals.

Reproductive toxicity - no data available.

Inhalation: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity/Other

Information:

This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).



Page: 6 2/23/2021

Printed: 02/23/2021 Revision: 02/23/2021

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1317-65-3	Limestone	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.
61790-53-2	Silica, amorphous	n.a.	n.a.	n.a.	n.a.
2008-39-1	2,4-D dimethylamine salt	n.a.	n.a.	n.a.	n.a.
14808-60-7	Quartz	Known	1	A2	n.a.

# 12. Ecological Information

# General Ecological Information:

Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.

Urea will dissolve and disperse in water, and will promote algae growth which may degrade water quality and taste. Notify downstream water users of any release that may affect water quality.

Do not empty into drains.

Persistence and Degradability: Terrestrial Field Test Half-life (days)

2,4-D dimethylamine salt: 1-30 (mean = 6)

Dicamba acid: 8-25

MCPP-p: 35 (note: for CAS 16484-77-8)

(from Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506, Pesticide

Reviews, 2,4-D dimethylamine salt, dicamba acid, and MCPP-p)

Bioaccumulative Potential: Octanol/Water Partition Coefficients

2,4-D dimethylamine salt: Log Kow = 2.81

Dicamba acid: Log Kow = 0.54

MCPP-p has a very low octanol/water partition coefficient which means it does not bind

well to fats and oils. The hazard for bioaccumulation is low.

(from Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506, Pesticide

Reviews, 2,4-D dimethylamine salt, and dicamba acid)

Mobility in Soil: Water Solubility

2,4-D dimethylamine salt: 7,290 mg/L

Dicamba acid: 6,500 mg/L

MCPP-p: 620 mg/L (note: for CAS 16484-77-8)

(from Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506, Pesticide



Page: 7

Printed: 02/23/2021 Revision: 02/23/2021

Reviews, 2,4-D dimethylamine salt, dicamba acid, and MCPP-p)

# 13. Disposal Considerations

Waste Disposal Method:

If material cannot be completely used according to label directions, dispose of container and contents according to this section.

Contact a licensed professional waste disposal service to dispose of this material.

Do not let product enter drains.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Waste materials containing 2,4-D may carry the USEPA hazardous waste code D-016.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations.

Packaging: Empty bag may be placed in trash.

# 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated by DOT unless a single package contains 1,000 lbs or more of

dicamba.

DOT Hazard Class: UN/NA Number:

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS# S. 302 (EHS) **Hazardous Components (Chemical Name)** S. 313 (TRI) S. 304 RQ 1317-65-3 Limestone No No No 7447-40-7 Potassium chloride No No No 61790-53-2 Silica, amorphous No No No 2008-39-1 2,4-D dimethylamine salt No No No 14808-60-7 Quartz No No No

### This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[ ] Yes [X] No	Explosive	[ ] Yes [X] No	Acute toxicity (any route of exposure)
[ ] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [ ] No	Skin Corrosion or Irritation
[ ] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [ ] No	Serious eye damage or eye irritation
[ ] Yes [X] No	Self-reactive	[ ] Yes [X] No	Respiratory or Skin Sensitization
[ ] Yes [X] No	Pyrophoric (liquid or solid)	[ ] Yes [X] No	Germ cell mutagenicity
[ ] Yes [X] No	Pyrophoric gas	[ ] Yes [X] No	Carcinogenicity
[ ] Yes [X] No	Self-heating	[ ] Yes [X] No	Reproductive toxicity



Page: 8

Printed: 02/23/2021 Revision: 02/23/2021

[ ] Yes [X] No	Organic peroxide	[X] Yes [ ] No Specific target organ toxicity (single or repeated exposure)
[ ] Yes [X] No	Corrosive to metal	[ ] Yes [X] No Aspiration Hazard
[ ] Yes [X] No	Gas under pressure (compressed gas)	[ ] Yes [X] No Simple Asphyxiant
[ ] Yes [X] No	In contact with water emits flammable gas	[X] Yes [ ] No (Health) Hazard Not Otherwise Classified (HNOC)
[ ] Yes [X] No	Combustible Dust	
[ ] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)	
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1317-65-3	Limestone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
7447-40-7	Potassium chloride	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
61790-53-2	Silica, amorphous	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
2008-39-1	2,4-D dimethylamine salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
		PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ
		EHS: No; NY Part 597: No; PA HSL: No
14808-60-7	Quartz	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
		Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1

### **Regulatory Information:**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels on non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### **CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water: also before eating, drinking, chewing gum or using tobacco.

### **ENVIRONMENTAL HAZARDS**

This pesticide may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marches, estuaries, bays and oceans. Do not apply when windy. Apply this product directly to your lawn and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water to the point of runoff, or apply when raining or when rain is expected that day.



Page: 9 2/23/2021

Printed: 02/23/2021 Revision: 02/23/2021

# 16. Other Information

**Revision Date:** 02/23/2021

Hazard Rating System:

Flammability Instability
Health

NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Turf Care Supply Corp. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.